

Inductive Sensors

Product overview



Housing size	Ø 3 mm, Ø 4 mm, M4×0.5	M5×0.5	Ø 6.5 mm, M8×1, Ø 8 mm	M12×1	M16×1	M18×1
--------------	------------------------------	--------	------------------------------	-------	-------	-------


Inductive Sensors							
Global DC 3-wire			Page 455	Page 461		Page 464	
DC 3-/4-wire	Page 473	Page 478	Page 482	Page 508		Page 516	
DC 2-wire			Page 571	Page 574		Page 576	
AC/DC 2-wire				Page 591		Page 592	
AC 2-wire				Page 610		Page 612	

Inductive Sensors with Special Properties							
High-pressure resistant sensors		Page 619 Page 624 Page 625	Page 625	Page 619 Page 620 Page 626	Page 621	Page 622 Page 632	
Ex sensors			Page 638	Page 634 Page 639		Page 635 Page 639	
Steelface sensors			Page 641	Page 642		Page 643	
Temperature-resistant sensors		Page 646	Page 646	Page 646		Page 647	
Full PTFE sensor						Page 651	
Sensors for the food industry				Page 652 Page 657 Page 661		Page 654 Page 657 Page 661	
Factor 1 sensors			Page 663	Page 664		Page 666	
Weld and magnetic field immune sensors				Page 675		Page 677	
Diagnostics sensors				Page 682		Page 683	
Large designs							
Ring sensors							
Hose sensors							

Inductive Sensors for Analog Distance Measurement							
Cylinder designs			Page 698	Page 699		Page 703	
Block designs							
Ring sensors							

Inductive Sensors

Product overview



Inductive Sensors
Performance Spectrum
Product Overview

Global DC 3-wire

DC 3-/4-wire

DC 2-wire

AC/DC 2-wire

AC 2-wire

Special Properties

Analog Distance measurement

Accessories

M30x1.5

5x5 mm

8x8 mm

8x16 mm
R04

10x30 mm
R03

16x30 mm

20x32 mm
R01/R06

99x17.6 mm

Page 467

Page 525

Page 579

Page 595

Page 613

Page 531

Page 534

Page 540

Page 542

Page 544

Page 545

Page 582

Page 637

Page 639

Page 645

Page 647

Page 655

Page 673

Page 679

Page 681

Page 706

Page 709

Page 710

Inductive Sensors

Product overview



Housing size	25x50 mm	26x26 mm	26x40 mm	42x48 mm	74x60.5 mm	40x40 mm Unicompact
--------------	----------	----------	----------	----------	------------	------------------------

Inductive Sensors							
Global DC 3-wire							
DC 3-/4-wire	Page 546		Page 548	Page 550	Page 551	Page 553	
DC 2-wire		Page 583				Page 584	
AC/DC 2-wire			Page 599			Page 601	
AC 2-wire							

Inductive Sensors with Special Properties							
High-pressure resistant sensors							
Ex sensors						Page 639	
Steelface sensors							
Temperature-resistant sensors	Page 647						
Full PTFE sensor							
Sensors for the food industry							
Factor 1 sensors						Page 671	
Weld and magnetic field immune sensors						Page 681	
Diagnostics sensors						Page 683	
Large designs							
Ring sensors							
Hose sensors							


Inductive Sensors for Analog Distance Measurement							
Cylinder designs							
Block designs							
Ring sensors							

Inductive Sensors

Product overview



	40x40 mm Unisensor	80x80 mm Maxisensor	35x35 mm	Ø 80x67 mm	Ø 110x110 mm	Ring sensors	Hose sensors
	Page 557	Page 564					
	Page 585	Page 586					
	Page 603	Page 607					
		Page 615					
			Page 689	Page 688	Page 689		
						Page 691	
							Page 693
		Page 712					
						Page 713	



- Inductive Sensors
- Performance Spectrum
- Product Overview**
- Global DC 3-wire
- DC 3-/4-wire
- DC 2-wire
- AC/DC 2-wire
- AC 2-wire
- Special Properties
- Analog Distance measurement
- Accessories